

BIBLIOGRAFIA

1. Koninckx PR, Ussia A, Wattiez A, De Wilde RL. Gestione laparoscopica e prevenzione delle aderenze pelviche e del dolore postoperatorio. In: Einarsson JI, Wattiez A, editori. Chirurgia ginecologica minimamente invasiva: interventi di chirurgia laparoscopica, isteroscopica e robotica basati sull'evidenza. JP Medical limited, victoriastreet 83, London; 2016
2. De Wilde RL, Brodmann H, Koninckx PR, Lundorff P, AM inferiore, Wattiez A et al. Prevenzione delle aderenze in chirurgia ginecologica: la linea guida europea per il 2012. Gynecol Surg. 2012; 9: 365-368.
3. Koninckx PR, Ussia A, Adamyan L. Il ruolo della cavità peritoneale nella formazione dell'adesione. Fertil Steril. 2012; 97: 1297.
4. L'impatto della curva di apprendimento sulla formazione dell'adesione in un modello di topo laparoscopico. Corona R, Verguts J, Binda MM, Molinas CR, Schonman R, Koninckx PR. Fertil Steril. 2011 lug; 96 (1): 193-7.
5. Koninckx, PR, Ussia, A., Addison, A. e Wattiez, A. Una classificazione dell'endometriosi, progettata per essere convalidata. Gynecol Surg. 8, 1-6. 2011.
6. Corona R, Verguts J, Koninckx R, Mailova K, Binda MM, Koninckx PR. Am J Obstet Gynecol. 2011 Ott; 205 (4): 392.e1-7.
7. De Cicco C, Ussia A, Koninckx PR. Curr Opin Obstet Gynecol. 2011 agosto; 23 (4): 296-300. Revisione.
8. Verguts J, Corona R, Binda MM, Koninckx PR. J Laparoendosc Adv Surg Tech A. 2011 lug-ago; 21 (6): 539-40.
9. Corona R, Verguts J, Schonman R, Binda MM, Mailova K, Koninckx PR. Fertil Steril. 15 marzo 2011; 95 (4): 1224-8. Epub 2011 4 febbraio.
10. endometriosi. Koninckx PR, Batt RE, Hummelshoj L, McVeigh E, Ussia A, Yeh J. J Minim Invasive Gynecol. 2010 settembre-ottobre; 17 (5): 637-40.
11. Koninckx PR, Brosens IA. Hum Riproduzione. 2011 Mar; 26 (3): 731-2; risposta dell'autore 732. Epub 2010 21 dicembre.
12. De Cicco C, Schonman R, Craessaerts M, Van Cleynenbreugel B, Ussia A, Koninckx PR. Fertil Steril. 2009 Ott; 92 (4): 1424-7. Epub 2008 18 ottobre.
13. Jacobson TZ, Duffy JM, Barlow D, Farquhar C, Koninckx PR, Olive D. Cochrane Database Syst Rev. 2010 Jan 20; (1): CD001398. Revisione.
14. Jacobson TZ, Duffy JM, Barlow D, Koninckx PR, Garry R. Cochrane Database Syst Rev. 2009 ott 7; (4): CD001300. Revisione.
15. Binda MM, Koninckx PR. BJOG. 2010 Feb; 117 (3): 331-9.
16. Schonman R, De Cicco C, Corona R, Soriano D, Koninckx PR. BJOG. 2008 Dec; 115 (13): 1611-5;
17. Rozenberg S, Pornel B, Koninckx PR, Palacios S, Christiansen C. Hum Reprod. 2009 lug; 24 (7): 1739-47.
18. Binda MM, Molinas CR, Bastidas A, Koninckx PR. Effetto di spazzini di specie reattive dell'ossigeno, farmaci antinfiammatori e bloccanti dei canali del calcio sulle aderenze potenziate da anidride carbonica di anidride carbonica in un modello di topo laparoscopico. Surg Endosc. 2007; 21: 1826-1834
19. Koninckx PR, Barlow D, Kennedy S. L'impianto contro l'infiltrazione: il Sampson contro la teoria della malattia endometriotica. Gynecol Obstet Invest. 1999; 47 Suppl 1: 3-9.

20. The gut microbiota: a puppet master in the pathogenesis of endometriosis? - PubMed - NCBI <https://www.ncbi.nlm.nih.gov/pubmed/26901277/>
21. The microbiota continuum along the female reproductive tract and its relation to uterine-related diseases
22. Brunelli, R. et al. Globular structure of human ovulatory cervical mucus. *FASEB J.* 21, 3872–3876 (2007).
23. Ma, B., Forney, L. J. & Ravel, J. Vaginal microbiome: rethinking health and disease. *Annu. Rev. Microbiol.* 66, 371–389 (2012).
24. Ravel, J. et al. Vaginal microbiome of reproductive-age women. *Proc. Natl Acad. Sci. USA* 108, 4680–4687 (2010).
25. Gajer, P. et al. Temporal dynamics of the human vaginal microbiota. *Sci. Transl. Med.* 4, 132ra52–132ra52 (2012).
26. Ding, T. & Schloss, P. D. Dynamics and associations of microbial community types across the human body. *Nature* 509, 357–360 (2014).
27. Goldenberg, R. L., Hauth, J. C. & Andrews, W. W. Intrauterine infection and preterm delivery. *N. Engl. J. Med.* 342, 1500–1507 (2000).
28. Hyman, R. W. et al. Diversity of the vaginal microbiome correlates with preterm birth. *Reprod. Sci.* doi:10.1177/1933719113488838 (2013).
29. Aagaard, K. et al. The placenta harbors a unique microbiome. *Sci. Transl. Med.* 6, 237ra65 (2014).
30. Salter, S. J. et al. Reagent and laboratory contamination can critically impact sequence-based microbiome analyses. *BMC Biol.* 12, 87 (2014).
31. Vásquez, A., Jakobsson, T., Ahrné, S., Forsum, U. & Molin, G. Vaginal Lactobacillus Flora of healthy Swedish women. *J. Clin. Microbiol.* 40, 2746–2749 (2002).
32. Gibbs, R. S., Blanco, J. D., St Clair, P. J. & Castaneda, Y. S. Quantitative bacteriology of amniotic fluid from women with clinical intraamniotic infection at term. *J. Infect. Dis.* 145, 1–8 (1982).
33. Jiménez, E. et al. Isolation of commensal bacteria from umbilical cord blood of healthy neonates born by cesarean section. *Curr. Microbiol.* 51, 270–274 (2005).
34. Hogue, R., Graves, M., Moler, S. & Janda, J. M. Pink-pigmented non-fermentative gram-negative rods associated with human infections : a clinical and diagnostic challenge. *Infection* 35, 126–133 (2007).
35. Flynn, A. N., Lyndon, C. A. & Church, D. L. Identification by 16S rRNA gene sequencing of an *Actinomyces hongkongensis* isolate recovered from a patient with pelvic actinomycosis. *J. Clin. Microbiol.* 51, 2721–2723 (2013).
36. Chang, D.-H., Rhee, M.-S. & Kim, B.-C. *Dermabacter vaginalis* sp. nov., isolated from human vaginal fluid. *Int. J. Syst. Evol. Microbiol.* 66, 1881–1886 (2016).
37. McCormack, W. M. et al. Vaginal colonization with *Corynebacterium vaginale* (*Haemophilus vaginalis*). *J. Infect. Dis.* 136, 740–745 (1977).
38. Holcombe, L. J. et al. *Pseudomonas aeruginosa* secreted factors impair biofilm development in *Candida albicans*. *Microbiology* 156, 1476–1485 (2010).
39. Ligon, J. M. et al. Natural products with antifungal activity from *Pseudomonas* biocontrol bacteria. *Pest Manag. Sci.* 56, 688–695 (2000).
40. Kim, T. K. et al. Heterogeneity of vaginal microbial communities within individuals. *J Clin Microbiol.* 47, 1181–1189 (2009).
41. Yu, R. R. et al. A Chinese rhesus macaque (*Macaca mulatta*) model for vaginal *Lactobacillus* colonization and live microbicide development. *J. Med. Primatol.* 2, 125–136 (2009).

42. Albert, A. Y. K. et al. A study of the vaginal microbiome in healthy Canadian women utilizing cpn60-based molecular profiling reveals distinct *Gardnerella* subgroup community state types. *PLoS ONE* 10, 1–21 (2015).
43. Pelzer, E. S. et al. Hormone-dependent bacterial growth, persistence and biofilm formation - a pilot study investigating human follicular fluid collected during IVF cycles. *PLoS ONE* 7, e49965 (2012).
44. Pelzer, E. S. et al. TUNEL analysis of DNA fragmentation in mouse unfertilized oocytes: The effect of microorganisms within human follicular fluid collected during IVF cycles. *J. Reprod. Immunol.* 99, 69–79 (2013).
45. Pelzer, E. S. et al. Microorganisms within human follicular fluid: effects on IVF. *PLoS ONE* 8, e59062 (2013).
46. Mackie, R. I., Sghir, A. & Gaskins, H. R. Developmental microbial ecology of the neonatal gastrointestinal tract. *Am. J. Clin. Nutr.* 69, 1035S–1045S (1999).
47. Matamoros, S., Gras-Leguen, C., Le Vacon, F., Potel, G. & De La Cochetiere, M. F. Development of intestinal microbiota in infants and its impact on health. *Trends Microbiol.* 21, 167–173 (2013).
48. Bäckhed, F. et al. Dynamics and stabilization of the human gut microbiome during the first year of life. *Cell Host Microbe* 17, 690–703 (2015).
49. Funkhouser, L. J. & Bordenstein, S. R. Mom knows best: the Universality of maternal microbial transmission. *PLoS Biol.* 11, e1001631 (2013).
50. Cincinelli, E. et al. Chronic endometritis: correlation among hysteroscopic, histologic, and bacteriologic findings in a prospective trial with 2190 consecutive office hysteroscopies. *Fertil. Steril.* 89, 677–684 (2008).
51. Walther-António, M. R. S. et al. Potential contribution of the uterine microbiome in the development of endometrial cancer. *Genome Med* 8, 122 (2016).
52. Huang, B., Fettweis, J. M., Brooks, J. P., Jefferson, K. K. & Buck, G. The changing landscape of the vaginal microbiome. *Clin. Lab. Med.* 34, 747–761 (2014).
53. Wang, J. & Jia, H. Metagenome-wide association studies: fine-mining the microbiome. *Nat. Rev. Microbiol.* 14, 508–522 (2016).
54. Qin, J. et al. A metagenome-wide association study of gut microbiota in type 2 diabetes. *Nature* 490, 55–60 (2012).
55. Schloss, P. D. et al. Introducing mothur: open-source, platform-independent, community-supported software for describing and comparing microbial communities. *Appl. Environ. Microbiol.* 75, 7537–7541 (2009).
56. Caporaso, J. G. et al. QIIME allows analysis of high-throughput community sequencing data. *Nat. Methods* 7, 335–336 (2010).
57. Dufrene, M. & Legendre, P. Species assemblages and indicator species:the need ^ for a flexible asymmetrical approach. *Ecol. Monogr.* 67, 345–366 (1997).
58. Anderson, M. J. A new method for non-parametric multivariate analysis of variance. *Aust. Ecol.* 26, 32–46 (2001).
59. Feng, Q. et al. Gut microbiome development along the colorectal adenoma–carcinoma sequence. *Nat. Commun.* 6, 6528 (2015). ARTICLE NATURE COMMUNICATIONS | DOI: 10.1038/s41467-017-00901-0 10 NATURE COMMUNICATIONS | 8: 875 |DOI: 10.1038/s41467-017-00901-0 | www.nature.com/naturecommunications
60. Zapala, M. A. & Schork, N. J. Multivariate regression analysis of distance matrices for testing associations between gene expression patterns and related variables. *Proc. Natl Acad. Sci. USA* 103, 19430–19435 (2006).
61. Subramanian, S. et al. Persistent gut microbiota immaturity in malnourished Bangladeshi children. *Nature* 509, 417–421 (2014).

62. Zhang, X. et al. The oral and gut microbiomes are perturbed in rheumatoid arthritis and partly normalized after treatment. *Nat. Med.* 21, 895–905 (2015).
63. Langille, M. G. I. et al. Predictive functional profiling of microbial communities using 16S rRNA marker gene sequences. *Nat. Biotechnol.* 31, 814–821 (2013).
64. Patil, K. R. & Nielsen, J. Uncovering transcriptional regulation of metabolism by using metabolic network topology. *Proc. Natl Acad. Sci. USA* 102, 2685–2689 (2005).
65. De Backer, E. et al. Quantitative determination by real-time PCR of four vaginal *Lactobacillus* species, *Gardnerella vaginalis* and *Atopobium vaginae* indicates an inverse relationship between *L. gasseri* and *L. iners*. *BMC Microbiol.* 7, 115 (2007).
66. Augustinos, A. A. et al. Exploitation of the medfly gut microbiota for the enhancement of sterile insect technique: Use of *Enterobacter* sp. in larval diet-based probiotic applications. *PLoS ONE* 10, 1–17 (2015).